



KABELBAUM UNTERWAGEN
LACED WIRING HARNESS CHASSIS FRAME


BILDTAFEL
PICTORIAL DISPLAY

02.09

3110174-ETL L

1/6

**GMK 5170
BE 505
G 801**





KABELBAUM UNTERWAGEN LACED WIRING HARNESS CHASSIS FRAME


BILDTAFEL PICTORIAL DISPLAY

02.09

3110174-ETL L

2/6

**GMK 5170
BE 505
G 801**





KABELBAUM UNTERWAGEN LACED WIRING HARNESS CHASSIS FRAME


BILDTAFEL PICTORIAL DISPLAY

02.09

3110174-ETL L

3/6

**GMK 5170
BE 505
G 801**



GROVE
KABELBAUM UNTERWAGEN
LACED WIRING HARNESS CHASSIS FRAME
BILDTAFEL
PICTORIAL DISPLAY

02.09

3110174-ETL L

5/6

GMK 5170
BE 505
G 801

Lfd. Nr.	Querschn. mm ²	Farbe	Länge mm	Info	Stecker	Pin	Stecker	Pin
1	0.5	WH	12810		S 3601	1	↔	X2 1
2	0.5	WH	12810		S 3601	1Res	↔	X2 3
3	0.5	WH	2245		S 3601	2	↔	X44 1
4	0.5	WH	12810		S 3601	2Res	↔	X2 4
5								
6	0.5	WH	13860		S 3602	1	↔	X2 6
7	0.5	WH	13860		S 3602	1Res	↔	X2 8
8	0.5	WH	2945		S 3602	2	↔	X45 2
9	0.5	WH	13860		S 3602	2Res	↔	X2 9
10								
11	0.5	WH	2910		M 3302	1	↔	X2 12
12	0.5	BN	2910		M 3302	2	↔	X2 13
13								
14	0.5	WH	7010		S 3399	BN	↔	X3 11
15	0.5	WH	7010		S 3399	BK	↔	X3 12
16	0.5	BN	7010		S 3399	BU	↔	X3 13
17								
18	2.5	WH	7710		XAMOT	1	↔	X3 14
19								
20	0.5	WH	5040		X 44	2	↔	X45 1
21								
22	2.5	WH	7110		F08	1	↔	X4 1
23	2.5	WH	7110				↔	X4 2
24	0.5	WH	13055		X 44	3	↔	X4 3
25	0.5	BN	13055		X 44	4	↔	X4 4
26	0.5	WH	13405		X 45	3	↔	X4 13
27	0.5	BN	13405		X 45	4	↔	X4 14
28								
29	2.5	WH	7110		Batterie	5mm	↔	X4 10
30								
31	1.0	WH	2060		X 83	4	↔	X9 1
32	1.0	WH	2060		X 83	2	↔	X9 2
33	0.5	WH	2060		X 83	3	↔	X9 5
34	1.0	BN	2060		X 83	7	↔	X9 9
35	1.0	BN	50		X 83	8	↔	
36	1.0	WH	1610		Nebel	li	↔	X9 10
37	0.5	WH	2060		X 83	1	↔	X9 11
38	1.0	BN	2060		X 83	5	↔	X9 13
39	1.0	BN	50		X 83	6	↔	
40								
41	1.0	WH	1610		X 85	4	↔	X9 7
42	1.0	WH	1610		X 85	2	↔	X9 8

Lfd. Nr.	Querschn. mm ²	Farbe	Länge mm	Info	Stecker	Pin	Stecker	Pin
43	0.5	WH	1610		X 85	3	↔	X9 12
44	1.0	BN	1610		X 85	7	↔	X9 15
45	1.0	BN	50		X 85	8	↔	
46	1.0	WH	1660		Nebel	re	↔	X9 3
47	0.5	WH	1610		X 85	1	↔	X9 4
48	1.0	BN	1610		X 85	5	↔	X9 14
49	1.0	BN	50		X 85	6	↔	
50								
51	0.5	WH	2060		X 101	3	↔	X10 1
52	0.5	WH	2060		X 101	6	↔	X10 2
53	2.5	WH	2060		X 101	4	↔	X10 3
54	2.5	BN	2060		X 101	2	↔	X10 4
55	0.5	WH	2060		X 101	1	↔	X10 5
56								
57								
58								
59	1.0	WH	15380				1	↔ X11 1
60	1.0	WH	1875		H0333	2	↔	
61	1.0	WH	375		X 63/4	2	↔	
62	1.0	WH	15350				2	↔ X11 2
63	1.0	WH	1905		H0333	4	↔	
64	1.0	WH	405		X 63/4	3	↔	
65	1.0	WH	15320				3	↔ X11 3
66	1.0	WH	1935		H0333	6	↔	
67	1.0	WH	2135		H0334	6	↔	
68	1.0	WH	485		X 64	5	↔	
69	1.0	WH	15290				4	↔ X11 4
70	1.0	WH	1965		H0333	3	↔	
71	1.0	WH	2165		H0334	3	↔	
72	1.0	WH	515		X 64	3	↔	
73								
74	1.0	WH	15260				5	↔ X11 5
75	1.0	WH	2195		H0334	4	↔	
76	1.0	WH	495		X 63/3	1	↔	
77	1.0	WH	15230				6	↔ X11 6
78	1.0	WH	2225		H0334	2	↔	
79	1.0	WH	525		X 63/3	2	↔	
80	1.0	WH	15200				7	↔ X11 7
81	1.0	WH	2055		H0333	5	↔	
82	1.0	WH	2255		H0334	5	↔	
83	1.0	WH	555		X 63/4	4	↔	
84								

Lfd. Nr.	Querschn. mm ²	Farbe	Länge mm	Info	Stecker	Pin	Stecker	Pin
85	1.0	WH	15755		X 63/3	3	↔	X11 8
86	1.0	WH	15805		X 64	4	↔	X11 10
87	1.0	WH	15805		X 64	2	↔	X11 11
88								
89	0.5	WH	3110				8	↔ X11 12
90	1.0	1	700		R 0202	1	↔	
91	0.5	BN	3160				9	↔ X11 13
92	1.0	2	650		R 0202	2	↔	
93								
94	2.5	BN	6760				10	↔ X11 14
95	1.5	GN/YE	350		Y 4113	GN/YE	↔	
96	1.5	GN/YE	350		Y 4114	GN/YE	↔	
97								
98								
99								

GROVE
KABELBAUM UNTERWAGEN
LACED WIRING HARNESS CHASSIS FRAME
BILDTAFEL
PICTORIAL DISPLAY

02.09

3110174-ETL L

6/6

GMK 5170
BE 505
G 801

Lfd. Nr.	Querschn. mm ²	Farbe	Länge mm	Info	Stecker	Pin	Stecker	Pin
1	1,0	BN	15170			11	X11	15
2	1,0	BN	2285		H0333	1		
3	1,0	BN	2285		H0334	1		
4	1,0	BN	585		X 63/4	1		
5	1,0	BN	635		X 64	1		
6								
7	1,0	WH	17660			12	X13	8
8	0,5	WH	595		X 121	1		
9	0,5	WH	595		X 122	1		
10	1,0	WH	16460			13	X13	9
11	0,5	WH	1445		X 102	1		
12	0,5	WH	2745		X 103	1		
13								
14	1,0	WH	8445		H0323	1	X13	12
15	1,0	WH	6870		H0324	1		
16	1,0	WH	19195		H0329	1	X13	13
17	1,0	WH	7920		H0330	1		
18								
19	2,5	BN	4160			14	X13	14
20	1,0	BN	4285		H0323	2		
21	1,0	BN	3685		H0324	2		
22	1,0	BN	15035		H0329	2		
23	1,0	BN	14085		H0330	2		
24	2,5	BN	3550		XAMOT	2		
25								
26	1,0	BN	14660			15	X13	15
27	0,5	BN	3245		X 102	2		
28	0,5	BN	4545		X 103	2		
29	0,5	BN	3595		X 121	2		
30	0,5	BN	3595		X 122	2		
31	0,5	BN	13530		A 0102	BK		
32	16	BK	7110		6 mm		Vert. SS	
33	16	BN	5660		10 mm		Vert. SS	
34								
35	2,5	WH	6460			16	X13	6
36	1,5	BU	650		Y 4113	BU		
37	2,5	WH	6510			17	X13	7
38	1,5	BU	600		Y 4114	BU		
39								
40	1,0	WH	12510			18	X4	5
41	1,0	1	500		A 0201	3		

Lfd. Nr.	Querschn. mm ²	Farbe	Länge mm	Info	Stecker	Pin	Stecker	Pin
42	1,0	BN	12560			19	X4	6
43	1,0	2	450		A 0201	2		
44								
45	4,0	BK	300			20	X ABS	1
46	4,0	RD	15790		X 74	1		
47	2,5	WH/RD	270			21	X ABS	2
48	2,5	WH	15820		X 74	2		
49	2,5	BN/BU	240			22	X ABS	3
50	2,5	WH	15850		X 74	3		
51	4,0	BN	550			23	X ABS	4
52	4,0	BN	15880		X 74	4		
53	2,5	BU/YE	580			24	X ABS	5
54	2,5	WH	15910		X 74	5		
55								
56	1,0	WH	3705		X 10	10	X G3	1
57								
58	1,0	WH	3705		X 10	11	X G3	2
59								
60	1,0	WH	3705		X 10	12	X G3	3
61								
62	1,0	BN	3705		X 10	13	X G3	4
63								
64								
65								
66	0,5	WH	7710		XAMOT	3	X4	9
67								
68	0,5	WH	4690		A 0102	RD	X13	10
69	0,5	WH	4690		A 0102	GN	X13	11
70	0,5	WH	4690		A 0102	YE	X13	5
71	0,5	WH	4690		A 0102	WH	X13	4
72	0,5	WH	4690		A 0102	BU	X13	3
73								
74	2,5	WH	3110		S 3311	3	X10	6
75	2,5	WH	4550		Y 3301	1	S 3311	4
		BK	12160		B 0231	1	X3	1
78	0,5	BN	12160		B 0231	2	X3	2
79	0,5	BU	12160		B 0231	3	X3	3
80	0,5	WH	12160		B 0231	4	X3	4
81								
82								

Lfd. Nr.	Querschn. mm ²	Farbe	Länge mm	Info	Stecker	Pin	Stecker	Pin
83								
84								
85	0,5	WH	15910		Res. A	1	Res. B	1
86	0,5	WH	15910		Res. A	2	Res. B	2
87	0,5	WH	15910		Res. A	3	Res. B	3
88	0,5	WH	15910		Res. A	4	Res. B	4
89								
90	1,0	WH	9600			25	X101	7
91	1,0	WH	5700		X 104	1		
92	1,0	WH	4900		X* 104	1		
93	1,0	WH	9650			26	X101	8
94	1,0	WH	5650		X 104	2		
95	1,0	WH	4850		X* 104	2		
96								
97								
98								
99								

"SS" = Schnittstelle