


WIRE NUMBER LABELS FOR USE ON CABLE ASSYS									
WIRE NO	CONDUCTOR COLOR	SAE SIZE	LENGTH TOT IN	CABLE ASSY	TP	REMARKS	TP	REMARKS	LABLES REQ'D
1883A	BLK	10	5	I/O-A	SA12	USE INSUL	AAD	USE INSUL	2
1883B	BLK	10	5	I/O-B	SA12	USE INSUL	AAD	USE INSUL	2
1883C	BLK	10	5	I/O-C	SA12	USE INSUL	AD	USE INSUL	2
1883D	BLK	10	5	I/O-D	SA12	USE INSUL	AE	USE INSUL	2
1883E	BLK	10	5	I/O-E	SA12	USE INSUL	AP	USE INSUL	2
1884A	RED	10	5	I/O-A	SA12	USE INSUL	AAD	USE INSUL	2
1884B	RED	10	5	I/O-B	SA12	USE INSUL	AAD	USE INSUL	2
1884C	RED	10	5	I/O-C	SA12	USE INSUL	AD	USE INSUL	2
1884D	RED	10	5	I/O-D	SA12	USE INSUL	AE	USE INSUL	2
1884E	RED	10	5	I/O-E	SA12	USE INSUL	AP	USE INSUL	2




**CABLE DETAIL I/O CAN A,B,C,D,E**  
CONTROL MODULE PROPRIETARY CABLE


(SHEET 8 OF 8)

Page 641


80035809




DETAIL 7




DETAIL 1091




DETAIL 1189




DETAIL 10




DETAIL 344




DETAIL 1186




DETAIL 13




DETAIL 440




DETAIL 1409




DETAIL AA  
CABLE END




DETAIL 25




DETAIL 553




DETAIL 1539




DETAIL 32




DETAIL 713




DETAIL 1568




DETAIL BDS  
BACKSHELL REF.  
(NO SCALE)




DETAIL 51




DETAIL 1074




DETAIL 1818




DETAIL 51




DETAIL 1791



DETAIL 1827









DETAIL 2156




DETAIL 2070



WIRE NUMBER LABELS FOR USE ON CABLE ASSYS									
WIRE NO	CONDUCTOR COLOR	SAE SIZE	LENGTH TOT IN	CABLE ASSY	TP	REMARKS	TP	REMARKS	LABELS REQ'D
1175	WHIT	10	5	AP1	BT	USE INSUL	AP	USE INSUL	2
1176	RED	10	5	AP1	BT	USE INSUL	AP	USE INSUL	2
1177	BLK	10	5	AP1	BT	USE INSUL	AP	USE INSUL	2
1289C	RED	10	5	J1939C	SA7	USE INSUL	BT	USE INSUL	2
1289D	RED	10	5	J1939D	AF	USE INSUL	SA7	USE INSUL	2
1289E	RED	10	5	J1939E	AP	USE INSUL	SA7	USE INSUL	2
1290C	BLK	10	5	J1939C	SA7	USE INSUL	BT	USE INSUL	2
1290D	BLK	10	5	J1939D	AF	USE INSUL	SA7	USE INSUL	2
1290E	BLK	10	5	J1939E	AP	USE INSUL	SA7	USE INSUL	2
1728A	RED	10	5	ESX 1	AP	USE INSUL	AAE	USE INSUL	2
1728B	RED	10	5	ESX 2	AD	USE INSUL	AAE	USE INSUL	2
1729A	BLK	10	5	ESX 1	AP	USE INSUL	AAE	USE INSUL	2
1729B	BLK	10	5	ESX 2	AD	USE INSUL	AAE	USE INSUL	2
1929	RED	10	5	RS232	AD	USE INSUL	AP	USE INSUL	2
1930	BLK	10	5	RS232	AD	USE INSUL	AP	USE INSUL	2
1813	RED	10	5	DRF	AE	USE INSUL	AK	USE INSUL	2
1814	BLK	10	5	DRF	AE	USE INSUL	AK	USE INSUL	2
1815	RED	10	5	DRR	AE	USE INSUL	BQ	USE INSUL	2
1816	BLK	10	5	DRR	AE	USE INSUL	BQ	USE INSUL	2







(SHEET 4 OF 8)


Page 645

80035809





(SHEET 2 OF 8)



CONTINUED ON SHT 02

CONTINUED ON SHT 02