













DECAL KIT "USA"
 SCHILDERSATZ "USA"
 JEU DE PLAQUES "USA"

from No / up to No
 WFN5RUDP752029104
 WFN5RUDP752029115

Figure
 Bild 99707785895
 Figure

TADANO
 2830-04





| | | | |
|---|---|---|--|
| <p>NOTICE</p>  <p>CHECK WHEEL LUGNUTS PERIODICALLY ACCORDING TO WORKING CONDITIONS READ INSTRUCTIONS BEFORE SERVICING</p> <p>7741358</p> <p>1</p> |  <p>SEE OPERATORS MANUAL</p> <p>7741359</p> <p>2</p> |  <p>START ENGINE STOP</p> <p>9970775721</p> <p>6</p> |  <p>7741364</p> <p>ENGINE SPEED CONTROL</p> <p>7</p> |
|  <p>PARKING BRAKE</p> <p>7757220</p> <p>9</p> | <p>WARNING</p>  <p>HAZARDOUS CONDITION CAN CAUSE VEHICLE HANDLING PROBLEMS DIFFERENTIAL LOCK MUST ONLY BE ENGAGED IN OFF - ROAD ROUGH TERRAIN CONDITIONS</p> <p>7757245</p> <p>10</p> | <p>WARNING</p>  <p>7741365</p> <p>LOCK THE REAR AXLE STEERING SYSTEM WHEN TRAVELING ON ROAD OR WITH DOLLY</p> <p>18</p> | <p>CAUTION</p>  <p>PLASTIC BRAKE SYSTEM PIPES BE CAREFUL WHEN WELDING DRILLING AND MOUNTING</p> <p>7741366</p> <p>19</p> |
| <p>CAUTION</p>  <p>VEHICLE LOWERS ONLY WHEN ENGINE IS RUNNING</p> <p>7757244</p> <p>20</p> | <p>WARNING</p>  <p>DO NOT STAY UNDER OR ON VEHICLE WHEN LOWERING</p> <p>7741366</p> <p>22</p> | <p>CAUTION</p>  <p>DO NOT REMAIN IN CAB WHEN CRANE IS OPERATING</p> <p>7757246</p> <p>34</p> | <p>CAUTION</p>  <p>ENGAGE PARKING HANDBRAKE BEFORE LEAVING CAB.</p> <p>7741361</p> <p>35</p> |









DECAL KIT "USA"
 SCHILDERSATZ "USA"
 JEU DE PLAQUES "USA"

from No / up to No
 WFN5RUDP752029104
 WFN5RUDP752029115

Figure
 Bild 99707785895
 Figure

TADANO
 2830-04

| | | | |
|--|---|---|---|
| <p>WARNING STOP! NO ACCESS FOR UNAUTHORIZED PERSONNEL</p>  <p>7757258</p> <p>37</p> |  <p>-2878-169 0015</p> <p>39</p> |  <p>99707763872</p> <p>41</p> | <p>NOTICE TEST CONNECTORS M4 FOR HYDRAULIC SYSTEM SEE OPERATORS MANUAL FOR INSTRUCTIONS</p> <p>99707785926</p> <p>44</p> |
| <p>NOTICE TEST CONNECTORS M3 FOR HYDRAULIC SYSTEM SEE OPERATORS MANUAL FOR INSTRUCTIONS</p> <p>99707780259</p> <p>46</p> | <p>NOTICE TEST CONNECTORS M1 + M2 FOR STEERING SYSTEM SEE OPERATORS MANUAL FOR INSTRUCTIONS</p> <p>99707757000</p> <p>47</p> |  <p>AIR BRAKE PRESSURE: 120 - 145 PSI</p> <p>99707780263</p> <p>48</p> | <p>NOTICE TEST CONNECTOR M5 FOR STEERING SYSTEM SEE OPERATORS MANUAL FOR INSTRUCTIONS</p> <p>99707757002</p> <p>49</p> |
| <p>WARNING</p> <p>INSTALL ALL PINS IN EACH OUTRIGGER, OUTRIGGER PAD AND JIB BEFORE STARTING TO TRAVEL</p> <p>7741384</p> <p>50</p> | <p>OPERATING AIR PRESSURE 220 PSI</p> <p>7741386</p> <p>51</p> | <p>NOTICE COOLING FLUID SEE OPERATORS MANUAL FOR INSTRUCTIONS</p> <p>7741386</p> <p>52</p> | <p>NOTICE HYDRAULIC FLUID SEE OPERATORS MANUAL FOR INSTRUCTIONS</p> <p>7741387</p> <p>53</p> |

| | | | |
|---|--|---|--|
| <div data-bbox="353 316 922 641">  CAUTION 1. BEFORE TRAVEL : -POSITION REAR WHEELS STRAIGHT AHEAD. STEER LAMP MUST NOT BE ON -SET SWING LOCK LEVER TO "LOCK". 2. SET GEAR SHIFT LEVER TO N. WHEN STARTING ENGINE. 3. REAR AXLE STEERING MUST ONLY BE ENGAGED IN FIRST OR REVERSE GEAR AND TRAVEL WITHOUT DOLLY. 4. SET PARKING BRAKE AND SHUT OFF ENGINE BEFORE LEAVING CAB. <small>99707785895</small> </div> <p style="text-align: right;">57</p> | <div data-bbox="1227 331 1473 571">  DANGER <hr/> MOVING OUTRIGGER BOXES CAN CAUSE SEVERE INJURY DO NOT INSERT FINGERS <small>7741389</small> </div> <p style="text-align: center;">58</p> | <div data-bbox="1594 327 2033 529"> <p style="text-align: center;">NOTICE</p> <p style="text-align: center;">TEST CONNECTORS FOR AIR BRAKE SYSTEM A - H SEE OPERATORS MANUAL FOR INSTRUCTIONS</p> <small>99707785895</small> </div> <p style="text-align: center;">54</p> | |
| <div data-bbox="309 694 958 970">  <small>99707776381</small> </div> <p style="text-align: right;">60</p> | <div data-bbox="1182 699 1496 1018">  DANGER ! ELECTROCUTION HAZARD CAN CAUSE SEVERE INJURY OR DEATH KEEP MINIMUM SEPARATION DISTANCE FROM POWER LINES PER LOCAL / STATE / FEDERAL REGULATIONS </div> | <div data-bbox="1630 678 2033 890"> <p style="text-align: center;">EXTERNAL BATTERY STARTING PLUG SOCKET 24V / DC</p> <small>7741391</small> </div> <p style="text-align: center;">55</p> | |
| <div data-bbox="183 1045 622 1268">  CAUTION HAZARDOUS CONDITION CAN CAUSE BURN INJURY DO NOT TOUCH HOT EXHAUST PIPE KEEP CLEAR WHEN ENGINE IS RUNNING <small>7757269</small> </div>  <p style="text-align: center;">64</p> | <div data-bbox="743 1117 1003 1289">  <small>2188217</small> </div> <p style="text-align: center;">61</p> | <div data-bbox="1182 1034 1496 1248">  PELIGRO ! MANTENGA DISTANCIA PRUDENCIAL DELANTE DE LOS CABLES DE ALTA TENSION <small>7745634</small> </div> <p style="text-align: center;">62</p> | <div data-bbox="1630 1061 2033 1252"> <p style="text-align: center;">BATTERY CHARGING PLUG SOCKET 24V / DC</p> <small>7741392</small> </div> <p style="text-align: center;">56</p> |

DECAL KIT "USA"
 SCHILDERSATZ "USA"
 JEU DE PLAQUES "USA"

from No / up to No
 WFN5RUDP752029104
 WFN5RUDP752029115

Figure
 Bild 99707785895
 Figure

TADANO
 2830-04

| | | | |
|---|--|---|--|
|  <p>WARNING</p> <p>DO NOT STEP HERE</p> <p>65 7757214</p> | <p>OUTRIGGER CONTROL BOX</p> <p style="text-align: right;">7757213</p> <p>68</p> |  <p>WARNING</p> <p>STEERING FUNCTIONS ONLY WHILE ENGINE IS RUNNING</p> <p>69 7757267</p> | <p>FREE</p>  <p>7757286</p> <p>LOCKED</p> <p>70</p> |
| <p>SWING BRAKE</p>  <p>74 7757262</p> | <p>0°TILT 20°TILT 40°TILT</p> <p style="font-size: small;">99707785327 99707785327 99707785327</p> <p>75</p> |  <p>LADDER POSITION</p> <p style="text-align: right;">99707757224</p> <p>76</p> |  <p>77</p> |
| <p>12V DC</p> <p>78 7757241</p> | <p>24V DC</p> <p>79 7757240</p> | <p>24V / DC</p> <p style="text-align: right;">99707757231</p> <p>80</p> |  <p>81 99707757234</p> |

DECAL KIT "USA"
 SCHILDERSATZ "USA"
 JEU DE PLAQUES "USA"

from No / up to No
 WFN5RUDP752029104
 WFN5RUDP752029115

Figure
 Bild 99707785895
 Figure

TADANO
 2830-04

| SPEED - CHART | | | | |
|--------------------------|----------|------|---------|------|
| Tires 16.00R25 / 20.5R25 | | | | |
| Gear | Off-Road | | On-Road | |
| | mph | km/h | mph | km/h |
| 1 st | 2 | 3 | 4 | 6 |
| 2 nd | 2 | 3 | 4 | 7 |
| 3 rd | 2 | 4 | 5 | 8 |
| 4 th | 2 | 4 | 6 | 10 |
| 5 th | 3 | 5 | 7 | 12 |
| 6 th | 4 | 7 | 9 | 15 |
| 7 th | 5 | 8 | 11 | 18 |
| 8 th | 6 | 9 | 13 | 21 |
| 9 th | 7 | 11 | 16 | 26 |
| 10 th | 9 | 14 | 19 | 31 |
| 11 th | 11 | 17 | 24 | 38 |
| 12 th | 12 | 20 | 29 | 46 |
| 13 th | 15 | 24 | 35 | 56 |
| 14 th | 19 | 30 | 42 | 68 |
| 15 th | 22 | 35 | 50 | 80 |
| 16 th | 26 | 42 | 53 | 85 |
| 1 st RW | 2 | 3 | 4 | 6 |
| 2 nd RW | 2 | 3 | 4 | 7 |

DO NOT RUN THE ENGINE OVER 1800 rpm 99707785935

90



82



83



85



87



88











89

DECAL KIT "USA"
 SCHILDERSATZ "USA"
 JEU DE PLAQUES "USA"

from No / up to No
 WFN5RUDP752029104
 WFN5RUDP752029115

Figure
 Bild 99707785895
 Figure

TADANO
 2830-04







| | | | |
|---|---|--|---|
| <div data-bbox="224 379 542 533" data-label="Text"> <p>MAX. JACK FORCE DURING CRANE OPERATION: 109 TONS (US)</p> <p><small>99707785934</small></p> </div> <p data-bbox="369 606 398 627">91</p> | <div data-bbox="645 331 1086 555" data-label="Text"> <p>CAUTION DO NOT USE OXYGEN ! DO NOT OPERATE UNIT WITHOUT PROPER NITROGEN GAS PRESSURE RELEASE ALL HYDRAULIC AND GAS PRESSURE BEFORE DISASSEMBLING UNIT SEE SERVICE INSTRUCTIONS FOR ADDITIONAL INFORMATION</p> <p><small>7757251</small></p> </div> <p data-bbox="846 606 875 627">92</p> | <div data-bbox="1153 304 1541 579" data-label="Text"> <p>NO STEP</p> <p><small>7757257</small></p> </div> <p data-bbox="1332 606 1361 627">93</p> | <div data-bbox="1646 308 2000 550" data-label="Text">  <p>Test for parking brake: See operators manual</p> <p><small>99707757238</small></p> </div> <p data-bbox="1803 606 1832 627">94</p> |
| <div data-bbox="203 676 577 938" data-label="Text"> <p>CAUTION</p>  <p>BEFORE CHANGING OVER TO OPERATION CONTROLLED FROM THE SUPERSTRUCTURE, MAKE SURE THAT: 1) TRANSMISSION IS IN NEUTRAL POSITION, 2) HANDBRAKES ARE ENGAGED.</p> <p><small>99707780260</small></p> </div> <p data-bbox="369 967 398 987">95</p> | <div data-bbox="779 659 1003 991" data-label="Diagram">  <p><small>99707748824</small></p> </div> <p data-bbox="965 962 994 983">96</p> | <div data-bbox="1205 659 1480 933" data-label="Diagram">  <p><small>99707745623</small></p> </div> <p data-bbox="1332 967 1361 987">97</p> | <div data-bbox="1697 659 1973 991" data-label="Diagram">  <p><small>99707748822</small></p> </div> <p data-bbox="1883 967 1912 987">98</p> |
| <div data-bbox="660 1077 808 1265" data-label="Image">  <p><small>7757334</small></p> </div> <div data-bbox="846 1054 1070 1246" data-label="Text"> <p>WARNING HAZARD CAN CAUSE INJURY KEEP CLEAR OF OUTRIGGER WHILE CRANE IS OPERATING</p> </div> <p data-bbox="846 1326 875 1347">110</p> | <div data-bbox="1131 1054 1323 1265" data-label="Image">  <p><small>7757336</small></p> </div> <div data-bbox="1339 1054 1563 1246" data-label="Text"> <p>WARNING HAZARD CAN CAUSE INJURY KEEP CLEAR OF CRANE WHILE SWINGING OR TRAVELING</p> </div> <p data-bbox="1332 1326 1361 1347">111</p> | <div data-bbox="1592 1054 1785 1265" data-label="Image">  <p><small>7757336</small></p> </div> <div data-bbox="1809 1054 2033 1246" data-label="Text"> <p>WARNING KEEP CLEAR OF MOVING OUTRIGGER TO PREVENT BODILY INJURY.</p> <p><small>7757336</small></p> </div> <p data-bbox="1803 1326 1832 1347">112</p> | |







DECAL KIT "USA"
 SCHILDERSATZ "USA"
 JEU DE PLAQUES "USA"

from No / up to No
 WFN5RUDP752029104
 WFN5RUDP752029115

Figure
 Bild 99707785895
 Figure

TADANO
 2830-04

| | | | |
|---|--|--|---|
| <p>⚠ WARNING</p> <p>HAZARDOUS CONDITION CAN CAUSE SEVERE INJURY ENSURE JIB PIVOT PINS ARE INSTALLED AT BOOM HEAD BEFORE DISCONNECTING JIB FROM STOWING BRACKET</p> <p>7757337</p> <p>113</p> | <p>⚠ WARNING</p> <p>HAZARDOUS CONDITION CAN CAUSE SEVERE INJURY USE A TAGLINE TO PREVENT RAPID SURING OF JIB FROM BOOM WHEN JIB IS RELEASED AT STOWING BRACKET</p> <p>7757338</p> <p>114</p> | <p></p> <p>⚠ DANGER</p> <p>KEEP CLEAR OF LOWERING OR RAISING BOOM TO AVOID SERIOUS INJURY.</p> <p>7757339</p> <p>115</p> | <p></p> <p>⚠ DANGER</p> <p>FALLING LOAD OR BOOM CAN CAUSE SEVERE PERSONAL INJURY OR DEATH STAY CLEAR OF LOAD, BLOCK AND BOOM</p> <p>7757340</p> <p>116</p> |
| <p></p> <p>⚠ DANGER</p> <p>SWINGING STRUCTURE STAY CLEAR TO PREVENT SEVERE PERSONAL INJURY OR DEATH</p> <p>7757341</p> <p>117</p> | <p>NOTICE</p> <p>HYDRAULIC FLUID ONLY</p> <p>READ OPERATORS MANUAL BEFORE SERVICING ALL CYLINDERS MUST BE RETRACTED WHEN CHECKING FLUID LEVEL</p> <p>7757342</p> <p>118</p> | <p></p> <p>⚠ WARNING</p> <p>ROTATING FAN KEEP HANDS AWAY STOP ENGINE TO SERVICE</p> <p>7757343</p> <p>119</p> | <p>⚠ CAUTION</p> <p>JIB HANDLING INSTRUCTIONS: BEFORE OPERATING CRANE OR TRAVELING ON ROAD, CHECK STOWING PIN (A) AND PIVOT PIN (B). JIB WILL FALL OFF IF TRAVEL IS STARTED WITH BOTH PINS OUT OF POSITION. NEVER EXTEND BOOM WHEN BOTH PINS ARE FIXED AT THE SAME TIME. THE BOOM WILL BE DAMAGED. KTC USE JIB</p> <ol style="list-style-type: none"> 1. INSERT TOP AND BOTTOM PINS: PIN (A) 2. EXTRACT STOWING PIN (B) 3. DISCONNECT HOPE SOCKET FROM ANCHOR (C) 4. TURN AND ALLOW JIB STRAIGHT AHEAD OF BOOM AND INSERT TOP AND BOTTOM CONNECTING PINS (D). 5. JOIN ELECTRICAL CONNECTIONS FOR ANTI TWO BLOCK ALARM DEVICE AND FILE ALSO, VINCH HOORLOCK. <p>KTC DOWN JIB, INSERT STOWING PIN (A) TO SECURE JIB TO BOOM AND THEN EXTRACT PIVOT PIN (B). ATTACH HOPE SOCKET TO ANCHOR (C) ONLY AFTER JIB IS COMPLETELY STOWED.</p> <p></p> <p>7757344</p> <p>120</p> |
| <p>DIESEL FUEL</p> <p>7757345</p> <p>121</p> | <p>⚠ DANGER</p> <p>HAZARDOUS CONDITION CAN CAUSE SEVERE INJURY OR DEATH STAY CLEAR WHEN INFLATING TIRES ALWAYS USE AN AIR CHUCK AND TIRE CAGE RIM SIDE OR LOCK RING CAN BLOW OUT</p> <p>7757346</p> <p>122</p> | <p>⚠ WARNING</p> <p>DO NOT OPERATE THIS CRANE UNLESS</p> <ul style="list-style-type: none"> - YOU ARE TRAINED IN ITS SAFE OPERATION - YOU KNOW AND FOLLOW THE SAFETY AND OPERATING INSTRUCTIONS CONTAINED IN THE TADANO/FAUN MANUALS - YOU KNOW AND UNDERSTAND LOCAL WORKPLACE RULES AND OSHA RECOMMENDATIONS - AN UNTRAINED OPERATOR SUBJECTS HIMSELF AND OTHERS TO DEATH OR SERIOUS INJURY <p>7757347</p> <p>123</p> | <p>⚠ DANGER</p> <p>ELECTROSHOCK HAZARD</p> <p>DO NOT OPERATE CRANE OR BOOM WHEN SERVICE PINS ARE IN THEIR NORMAL POSITION OF A POWER SOURCE OR POWER LINE, EXCEPT FOR BY LABEL. OTHERWISE, ALWAYS WEAR YOUR SAFETY GEAR.</p> <p>THIS MACHINE IS NOT EQUIPPED WITH AN AUTOMATIC SHUTDOWN DEVICE.</p> <p>ALSO FOR HIGH VOLTAGE, ELECTRICAL LINE, AND HIGH LINE DISTANCE.</p> <p>NEVER OPERATE CRANE AND PART THEREOF IN LINE WITH OR NEXT TO ANY ELECTRICAL POWER LINE OR POWER SOURCE OR HIGH VOLTAGE AS IS SPECIFIED IN MANUAL OR LABEL OR OTHER APPLICABLE SAFETY CODES OR REGULATIONS.</p> <p>NEVER OPERATE CRANE WITHOUT AN INSULATION TEST CRANE WITHOUT POWER INTERRUPTER (PI) IN THE OPERATOR'S RESPONSIBILITY TO MONITOR ALL SAFETY DEVICES OR WEAR THAT ARE NECESSARY OR REQUIRED FOR SAFE OPERATION, SET-UP OR SERVICE.</p> <p>⚠ DANGER</p> <p>THIS MACHINE IS NOT EQUIPPED WITH AN AUTOMATIC SHUTDOWN DEVICE. EXTREME CAUTION MUST BE EXERCISED AT ALL TIMES. ALWAYS WEAR YOUR SAFETY GEAR AND STAY IN THE IMMEDIATE VICINITY OF POWER SOURCE OR POWER LINE.</p> <p>COLLAPSE OF POWER LINE CAN RESULT FROM CONTACT OR PROXIMITY. ALL PERSONS MUST BE ADEQUATELY ADVISED OF SAFETY HAZARD.</p> <p>7757348</p> <p></p> <p>124</p> |


| | | | |
|--|--|---|---|
|  <p>WARNING HAZARD CAN CAUSE INJURY DO NOT MOUNT OR CLIMB ON CRANE WHILE OPERATING</p> <p>7757349</p> <p>125</p> |  <p>WARNING HAZARD CAN CAUSE INJURY DO NOT MOUNT OR CLIMB ON BOOM JIB OR OUTRIGGER</p> <p>7757350</p> <p>126</p> |  <p>CAUTION DO NOT STUMBLE OVER PROJECTION</p> <p>7757351</p> <p>127</p> |  <p>WARNING DO NOT REMOVE RADIATOR CAP WHEN ENGINE IS HOT.</p> <p>7757352</p> <p>128</p> |
| <p>WARNING HAZARDOUS CONDITION CAN CAUSE SEVERE INJURY DO NOT REMOVE JIB PIVOT PINS AT BOOM HEAD UNTIL JIB IS PINNED TO STOWING BRACKET</p> <p>7757353</p> <p>129</p> |  <p>WARNING AUTOMATIC FAN START KEEP HANDS AWAY STOP ENGINE TO SERVICE</p> <p>7757354</p> <p>130</p> | <p>DANGER HAZARDOUS OPERATION CAN RESULT IN SEVERE INJURY OR DEATH. DO NOT LIFT PERSONNEL REFER TO ANSI B30.56-1991, PARA 5-3.2.2 FOR INSTRUCTIONS.</p> <p>7757270</p> <p>131</p> | |
|  <p>132</p> | <p>BUBBLE MUST BE IN THE CENTER (SEE OPERATORS MANUAL)</p> <p>7757298</p> <p>133</p> | <p>DANGER ERRONEOUS LEVER POSITION CAN CAUSE SERIOUS ACCIDENT. DO NOT TRAVEL OR OPERATE CRANE WITH WRONG SETTING.</p> <ul style="list-style-type: none"> • DELLY TRAVEL: LOCK LEVER IN DELLY POSITION. • DELLY: SHUNT LOCK PIN. • CRANE OPERATION: LOCK LEVER IN CRANE POSITION. • SEE OPERATORS MANUAL FOR INSTRUCTIONS. <p>7757299</p> <p>134</p> | <p>DANGER ERRONEOUS LEVER POSITION CAN CAUSE SERIOUS ACCIDENT. DO NOT TRAVEL OR OPERATE CRANE WITH WRONG SETTING.</p> <ul style="list-style-type: none"> • DELLY TRAVEL: LOCK LEVER IN DELLY POSITION. • DELLY: SHUNT LOCK PIN. • CRANE OPERATION: LOCK LEVER IN CRANE POSITION. • SEE OPERATORS MANUAL FOR INSTRUCTIONS. <p>7757300</p> <p>135</p> |

DECAL KIT "USA"
 SCHILDERSATZ "USA"
 JEU DE PLAQUES "USA"

from No / up to No
 WFN5RUDP752029104
 WFN5RUDP752029115

Figure
 Bild 99707785895
 Figure


TADANO
 2830-04



WARNING
DO NOT TOUCH THE FAN

7748462

145




160,161,163,
164,165,167


| PLATES, PLATTEN, PLAQUES | | |
|--------------------------|-----|-------------------|
| A | B | Item / Pos. / Ref |
| 230 | 100 | 160 |
| 150 | 75 | 161 |
| 410 | 85 | 163 |
| 350 | 85 | 164 |
| 220 | 85 | 165 |
| 270 | 170 | 167 |

7757310

HAND SIGNALS



141



7741365

RELEASING OF
SPRING-LOADED CYL.

142

140°F _____


104°F _____

68°F _____

32°F _____

7741388

143



200,201


CAUTION

LOW CLEARANCE

BE AWARE OF OVER HEAD OBSTRUCTION

7757356

140



202,203